

Total No.	of Questions: 8] SEAT No.						
	SEAT NO.						
P1526	[Total No. of Pages : 4						
S.E. (Computer/A.I.& D.S./C.S & D.E.)							
DISCRETE MATHEMATICS							
	(2019 Pattern) (Semester-III)(210241)						
Time : 2½	Hours] [Max. Marks: 70						
	ns to the candidates;						
	Answer Q.1 or Q.2, Q.3 or Q.4, Q.5 or Q.6, Q.7 or Q.8.						
,	Neat diagram must be drawn whenever necessary. Figures to the right indicate full marks.						
	Assume suitable data if necessary.						
,	*						
Q1) a)	From a group of 7 men and 6 women, five persons are to be selected to						
	form a committee so that at least 3 men are there on the committee. In						
	how many ways can it be done? [6]						
b) \	Suppose repetitions are permitted: [6]						
	i) How many ways three-digit no, can be formed from six digits						
	2,3,4,5,7 and 9?						
	ii) How many are multiple of 10?						
	iii How many are even						
c)	What is the coefficient of x_0^{00} in the expansion of $(2-x)^{19}$? [6]						
,	OR						
Q2) a)	Five pencils and 5 pens are to be arranged in a row. In how many ways						
2-7 47	they can be arranged if [6]						
	i) All pencils must be arranged together						
	ii) No two pencils should be kept together and						
	iii) One pen and one pencil must be arranged together?						
b)	Find the number of permutations that can be made out of the letters [6]						
	i) Mississippi						
	ii) Assassination						
۵)							
c)	How many automobile license plates can be made if each plate contains						


two different letters followed by three different digits. Solve the problem if the first digit can not be zero. **[6]**



c) Use Kruskal's algorithm to find the minimum spanning tree for the connected weighted graph G as shown in fig. below [6]



Q6) a) Find maximum flow in the transport network using labeling procedure.[6]



- b) Construct an optimal binary tree for the set of weights as {8,9,10,11,13,15,22}. Find the weight of an optimal tree. Also assign the prefix codes and write the code words. [6]
 - c) What is Minimum Spanning tree? Explain briefly steps involved in finding MST in Prim's Algorithm? [6]

- Define with examples: **Q7**) a) Groupoid i)
 - Semigroup ii)
 - Monoid iii)
 - Abelian group iv)
 - Subgroup v)
 - Let (A,x) be monoid such that for every $x \in A$, x * x = e wheree is the b) identity element. Show that (A,*) is an abelian group.

OR

Define with examples: **Q8**) a)

[10]

[10]

- Properties of binary operation
- Ring with unity
- Fields.
- **Integral Domain** iv)
- Find the number of codes generated by the given check matric H. Also The state of the s b) find all code words.

1	1	0	1	0.0	0
0	1	1	0	J	0
1	0	1	0	0	1