	of Orientiana 81	tal Na of Drintad Damas 4			
Total No.	of Questions—8]	otal No. of Printed Pages—4			
Seat No.		[5252]-561			
	(Computer) (First Somester)	EVAMINATION 9017			
S.E. (Computer) (First Semester) EXAMINATION, 2017 DISCRETE MATHEMATICS					
(2015 PATTERN)					
		·S·			
Time : T	wo Hours	Maximum Marks : 50			
N.B. :	(i) Attempt Q. No. 1 or Q. No.	o. 2, Q. No. 3 or Q. No. 4,			
	Q. No. 5 or Q. No. 6 and	l Q. No. 7 or Q. No. 8.			
((<i>ii</i>) Figures to the right indicat	e full marks.			
(i	iii) Assume suitable data, if ne	cessary.			
1. (<i>a</i>)	Define the following with	proper set notations and			
	examples :	[6]			
	(i) Membership				
	(<i>ii</i>) Proper subset				
	(<i>iii</i>) Power sets	°°			
	(iv) Empty sets				
	(v) Cardinality of sets	N 8.			
(\mathbf{h})	(vi) Multisets.	and Circo Polation B			
(b)	What are relations and function $\{(1, 4), (2, 2), (3, 10), (4, 8)\}$				
	following relations R_1, R_2, R_3				
\circ	$R_1 = \{(1, 4), (2, 4), (3, 4), (4, 4), (4, 5$				
	$R_1 = \{(1, 2), (2, 4), (2, 10), (2, 10), (2, 10), (2, 10), (2, 10), (2, 10), (2, 10), (3, 1$				
?	$R_3 = \{(1, 6), (2, 2), (4, 4), (5, 6), (2, 2), (4, 4), (5, 6), (2, 2), (4, 4), (5, 6), (2, 2), (4, 4), (5, 6), (2, 6$				
	$R_4 = \{(1, 6), (2, 2), (3, 2), (4, 4)\}$				
	<u>.</u>	P.T.O.			

2. (a) Let A and B are two sets. If $A \subseteq B$, then prove that $P(A) \subseteq P(B)$, where P(A) and P(B) are power sets of A and B sets. [6]

Or

- (b) Define the closure of Relation. Discuss about the following closure properties with examples : [6]
 - (i) Reflexive closure

(ii) Symmetric closure


(*iii*) Transitive closure.

- **3.** (a) Explain the rule of sum and products with examples. [4]
 - (b) Find out how many 5-digit number greater than 30,000 can be formed from the digits 1, 2, 3, 4, 5. [4]
 - (c) Explain the directed and undirected graph with suitable example. [4]
- 4. (a) Find the number of permutations which can be made with the letters of the word ENGINEERING. [4]

Or

- (b) Explain the Dijkstra's Algorithm in detail.
- (c) Define Subgraph
 Determine whether H = H' = (V', E') is a subgraph of G(V, E) shown in Fig. 4.c : [4]

[4]



[5252]-561

(i)
$$V' = \{A, B, F\}$$

 $E' = \{(A, B), (A, F)\}$
(ii) $V' = \{B, C, D\}$
 $E' = \{(B, C), (B, D)\}$

5. (a) Use Prim's Algorithm to find the minimum spanning tree for the connected weighted graph G as shown in Fig. 5.a [7]




Fig. 5. a Graph G connected weighted Graph


(b) Explain any two of the following :

[6]

- (i) Min-max tree case study
- (ii) Transport network
- (*iii*) Decision tree.

6. (a) Explain the Kruskal's Algorithm in detail. [7]

(b) Find the pre, post and inorder traversal of a tree shown in Fig. 6.b. [6]



- 7. (a) Consider the set A = {1, 3 5, 7, 9,} i.e. a set of odd positive integers. Determine whether A is closed under :
 - (*i*) Addition
 - (*ii*) Multiplication.
 - (b) Check whether the algebraic system (A, *) whose table is given below is a SEMI Group. [4]

[4]

*	a	b	с
a	a	b	с
b	a	с	b
c	a	b	с

- (c) Discuss in brief about the Galois theory—Field theory and group theory.
 [5]
- 8. Define Algebraic system. Explain the steps to identify the following with suitable example : [13]

Or

- (i) Monoid
- (ii) Abelian Group
- (*iii*) Ring.

[5252]-561

4