

Total No. of Questions—8]

[Total No. of Printed Pages—7

Seat No.	
-------------	--

[5152]-541

S.E. (Electrical & Instru.) (I Sem.) EXAMINATION, 2017

ENGINEERING MATHEMATICS—III

(Common With Instru. & Control)

(2015 PATTERN)

Time : Two Hours

Maximum Marks : 50

- N.B. :-**
- (i) Figures to the right indicate full marks.
 - (ii) Use of electronic pocket calculator is allowed.
 - (iii) Assume suitable data, if necessary.
 - (iv) Neat diagrams must be drawn wherever necessary.

1. (a) Solve any two : [8]

(i) $(D^2 + D + 1)y = x \sin x$

(ii) $(2x + 3)^2 \frac{d^2 y}{dx^2} - 2(2x + 3) \frac{dy}{dx} - 12y = 6x$

(iii) $(D^2 + 3D + 2)y = \sin e^x$

using method of variation of parameters.

(b) Solve the following differential equation by using Laplace transform : [4]

$$\frac{d^2 y}{dt^2} + 2 \frac{dy}{dt} + y = te^{-t}, y(0) = 1, y'(0) = -2.$$

P.T.O.

Or

2. (a) An electric circuit consists of an inductance 0.1 henry a resistance R of 20 ohms and a condenser of capacitance C of 25×10^{-6} farads. If the differential equation of electric circuit is :

$$L \frac{d^2q}{dt^2} + R \frac{dq}{dt} + \frac{q}{C} = 0,$$

then find the charge q and current p at any time t given that at $t = 0$, $q = 0.05$ coulombs, $i = 0$. [4]

- (b) Solve any one : [4]

(i) Find $L \left[\int_0^t \frac{\sin t}{t} dt \right]$

(ii) Find $L^{-1} \left[\frac{3s+1}{(s+1)^4} \right]$

- (c) Evaluate the following integral using Laplace transform : [4]

$$\int_0^{\infty} t e^{-3t} \sin t dt.$$

3. (a) Find inverse sine transform if : [4]

$$F_s(\lambda) = \frac{1}{\lambda} e^{-a\lambda}.$$

(b) Attempt any one : [4]

(i) Find z -transform of

$$f(k) = \frac{2^k}{k!}, \quad k \geq 0.$$

(ii) Find the inverse z -transform of :

$$\frac{z(z+1)}{z^2 - 2z + 1}, \quad |z| > 1.$$

(c) Find directional derivative of [4]

$$\phi = xy^2 + yz^3$$

at $(1, -1, 1)$ along the vector

$$i + 2j + 2k.$$

Or

4. (a) Attempt any one : [4]

(i) Prove that :

$$\bar{b} \times \nabla(\bar{a} \cdot \nabla \log r) = \frac{\bar{b} \times \bar{a}}{r^2} - \frac{2(\bar{a} \cdot \bar{r})(\bar{b} \times \bar{r})}{r^4}.$$

$$(ii) \quad \nabla \times \left(\frac{\bar{a} \times \bar{r}}{r^3} \right) = \frac{-\bar{a}}{r^3} + \frac{3(\bar{a} \cdot \bar{r})\bar{r}}{r^5}.$$

(b) Show that : [4]

$$\vec{F} = (6xy + z^3)\vec{i} + (3x^2 - z)\vec{j} + (3xz^2 - y)\vec{k}$$

is irrotational. Find Scalar ϕ such that $\vec{F} = \nabla\phi$.

(c) Obtain $f(k)$ given that : [4]

$$f(k + 1) + \frac{1}{2}f(k) = \left(\frac{1}{2}\right)^k, \quad k \geq 0, \quad f(0) = 0.$$

5. Attempt any two :

(a) Verify Green's theorem in plane for [6]

$$\int_C (xy + y^2) dx + x^2 dy$$

where C is the boundary of the closed region bounded by $y = x$ and $y = x^2$.

(b) Evaluate : [6]

$$\iint_S (xi + yj + z^2k) \cdot d\vec{S}$$

where S is the curved surface of the cylinder

$$x^2 + y^2 = 4$$

bounded by the planes $z = 0$ and $z = 2$.

(c) Verify Stokes' theorem for

$$\vec{F} = (2x - y)\vec{i} - yz^2\vec{j} - y^2zk$$

over the surface of hemisphere

$$x^2 + y^2 + z^2 = 1$$

above the xy plane.

[7]

Or

6. Attempt any two :

(a) Find the work done in moving a particle from (1, -2, 1) to (3, 1, 4) in a force field [6]

$$\vec{f} = (2xy + z^3)\vec{i} + x^2\vec{j} + 3xz^2\vec{k}$$

(b) Prove that : [6]

$$\iiint_V \frac{1}{r^2} dV = \iint_S \frac{1}{r^2} \vec{r} \cdot d\vec{S}$$

where S is closed surface enclosing the volume V. Hence evaluate :

$$\iint_S \frac{xi + yj + zk}{r^2} \cdot d\vec{S}$$

where S is surface of the sphere

$$x^2 + y^2 + z^2 = a^2.$$

- (c) Verify Stokes' theorem for [7]

$$\bar{F} = y^2i + xyj - xzk$$

where S is the hemisphere :

$$x^2 + y^2 + z^2 = a^2, z \geq 0.$$

7. (a) If $\phi + i\psi$ is complex potential for an electric field (which is analytic) and

$$\phi = -2xy + \frac{y}{x^2 + y^2},$$

find the function ψ . [4]

- (b) Evaluate : [5]

$$\oint_C \frac{z+4}{(z+1)^2(z+2)^2} dz,$$

where 'C' is a circle $|z + 1| = \frac{1}{2}$.

- (c) Find the bilinear transformation, which maps point 1, 0, i of z -plane onto the points ∞ , -2 , $-\frac{1}{2}(1 + i)$ of w -plane. [4]

Or

8. (a) Show that analytic function with constant amplitude is constant. [4]

(b) Evaluate : [5]

$$\int_{2+4i}^{5-5i} (z+1) dz,$$

along the line joining points $(2 + 4i)$ and $(5 - 5i)$.

(c) Find the image of Hyperbola [4]

$$x^2 - y^2 = 1,$$

under the transformation $w = \frac{1}{z}$.