Total No. of Qu	iestions : 8] SEAT No. :		
P3600	[Total No. of Pages : 3		
T.E. (E & TC)			
MECHATRONICS			
(2015 Course) (Semester-I)			
Time . 21/ Hou	mal Significant Marks 270		
Time: 2½ Hou Instructions to	rs] [Max. Marks : 70 the candidates:		
	ver Q1 or Q2, Q3 or Q4, Q5 or Q6, Q7 or Q8.		
	diagrams must be drawn whenever necessary.		
3) Assur	me suitable data, if necessary.		
Q1) a) A	potentiometer which is used to measure the rotational position of a		
	If has 850 turns of wire. The input range is from -160° to $+160^{\circ}$. The		
	put range is from 0 to 12V. Determine [6]		
	6.		
i)	Span of potentiometer		
ii)	Sensitivity		
iii)	Average resolution in volts		
b) Lis	t any six factors which need to be considered while selecting a sensor. [6]		
c) De	termine the force needed to a piston of 2 cm radius in order to result a		
	ce of 6000 N at the working piston of radius 6 cm. Calculate the		
hyc	draulic pressure in bar. [4]		
d) De	fine the following terms with respect to hydraulic pump. [4]		
i)	Volumetric efficiency		
-			
ii)	Power efficiency		
	OR O		
Q2) a) Dis	scuss the phases of mechatronics design process. [5]		
*	he spring transducer deflects 0.075 m when a force of 15 kN is applied, d the input force for a displacement of 0.1 m. [4]		

P.T.O.

	c)	With the help of a suitable diagram explain the working principle of swash plate axial piston pump. What is the significance of swash angle? [6]
	d)	Write a short note on: [5]
		i) Accumulator
		ii) Mechanical filter
Q3)	a)	With a suitable diagram explain how double acting piston compressor delivers twice air than single acting piston compressor. [8]
	b)	A pneumatic cylinder is required to move a 750N load 150 mm in 0.5s. What is the output power? [4]
	c)	List two advantages and two drawbacks of pneumatic system over hydraulic system. [4]
		OR
Q4)	a)	Explain the working of screw compressor with a neat sketch. [6]
	b)	Demonstrate the working of relief valve. [6]
	c)	What is the difference between free air and standard air? [4]
Q5)	a)	Determine the input pulse rate if the stepper motor has 10°per step and rotating at 300 rpm. [4]
	b)	Explain the construction & working of 5/2-way pilot operated valve. Draw its symbol. [8]
	c)	How relay is used as an electromechanical switch? Explain with suitable sketch. [6]
		OR OF
Q6)	a)	Write a short note on: Hybrid stepper motor. [4]
	b)	With a suitable sketch, explain the working of double acting cylinder.[8]
	c)	Explain the construction & working of non-return valve. Draw its symbol. [6]

- **Q7)** a) List six points of comparison between NC, CNC and conventional system. [12]
 - b) Explain the need of following sensors in engine management system.[4]
 - i) Throttle position sensor
 - ii) EGO sensor

OR

- Q8) a) A train is subjected to lateral forces when it passes horizontal curves. This causes severe discomfort to the passengers. Devise a solution to tackle this problem.
 [8]
 - b) How autonomous ship control system is different than traditional approach? [8]