## **P-9075**

## [6178]-10

**SEAT No. :** 

[Total No. of Pages : 3

## F.E.

**ENGINEERING GRAPHICS - I** 

(2019 Pattern) (Semester - II) (102012)

*Time : 2<sup>1</sup>/<sub>2</sub> Hours*]


[Max. Marks : 50

Instructions to the candidates:


- Answer Q. 1 or Q. 2, Q. 3 or Q. 4, Q. 5 or Q. 6 and Q. 7 or Q. 8. 1)
- Figures to the right indicate full marks. 2)
- State clearly the assumptions made, if any. 3)
- Use of non-programmable calculator is allowed. **4**)
- Assume suitable data, if necessary. 5)
- Q1) Construct a Parabola by focus-directrix method, if the distance of focus from the directrix is 70 mm. [8]
- (Q2) End P of inelastic thread 160 mm long is attached to the circumference of a circular disc of 50 mm diameter. Draw the locus of free end Q of the thread, if it is completely unwound from the disc, keeping the thread always tight. Name the curve. 181

*Q3*) Fig. shows pictorial view of an object (consider diameter 36 hole is throughout the object). Using first angle method of projection draw. [16]


**Front View** a) [5] **Top** View [5] b) **Right Hand Side View** [5] c) **Give Dimensions** [1] d) *P.T.O.* 



Q5) Figure show orthographic views of an object by first angle method of projection.Draw its isometric view. [16]



*Q6*) Figure show orthographic views of an object by first angle method of projection.Draw its isometric view. [16]



Q7) Draw the development of lateral surface of a hexagonal pyramid having base edge 30 mm, axis height 80mm, is kept on HP in such a way that one of its base edges is perpendicular to VP. [10]

## OR

Q8) A right cylinder of 50mm diameter and 70mm height of axis is cut by a section plane inclined at 30° to HP and passes 30 mm from base along the axis. Draw a development of truncated cylinder. [10]



[6178]-10