

Total No. of Questions : 9]

SEAT No. :

P-9074

[Total No. of Pages : 4

[6178]-9

F.E.

**ENGINEERING MATHEMATICS - II**  
**(2019 Pattern) (Semester - II) (107008)**

Time : 2½ Hours]

[Max. Marks : 70

Instructions to the candidates:

- 1) Question No. 1 is compulsory.
- 2) Solve Q. No. 2 or Q. No. 3, Q. No. 4 or Q. No. 5, Q. No. 6 or Q. No. 7, Q. No. 8 or Q. No. 9.
- 3) Neat diagrams must be drawn wherever necessary.
- 4) Figures to the right indicate full marks.
- 5) Use of electronic pocket calculator is allowed.
- 6) Assume suitable data, if necessary.

Q1) Write the correct option for the following multiple choice questions.

a)  $\int_0^{2\pi} \sin^3 \theta \cos^4 \theta d\theta$  [2]

i)  $\frac{2}{35}$

ii)  $\frac{1}{15}$

iii) 0

iv)  $\frac{2\pi}{35}$

b) The equation of tangents to the curve  $3ay^2 = x(x - a)^2$ , at the origin, if exist is [2]

i)  $x = a$

ii)  $x = 0, y = 0$

iii)  $x = 0$

iv)  $y = 0$

c)  $\int_{\theta=0}^{\pi/2} \int_{r=0}^2 r dr d\theta =$  [2]

i)  $\pi$

ii) 1

iii) 2

iv)  $\frac{\pi}{2}$

P.T.O.

- d) Radius  $r$  of a sphere  $x^2 + y^2 + z^2 - 2x - 4y + 2z - 3 = 0$  is [2]
- i)  $r = 9$  ii)  $r = 2$   
 iii)  $r = 4$  iv)  $r = 3$
- e) The total number of loops for the curve  $r = a \sin 3\theta$  are [1]
- i) 2 ii) 3  
 iii) 6 iv) 4
- f)  $\iint \rho P^2 dx dy$  where  $\rho$ -density and  $p^2$  is distance of particle from axis, represents [1]
- i) Area ii) Mass  
 iii) Moment of Inertia iv) Volume

**Q2)** a) If  $u_n = \int_0^{\pi/4} \sin^{2n} x dx$  then prove that  $u_n = \left(1 - \frac{1}{2n}\right) u_{n-1} - \frac{1}{n2^{n+1}}$ . [5]

b) Prove that :  $\beta(m, n) = \beta(m, n+1) + \beta(m+1, n)$  [5]

c) If  $f(x) = \int_0^x (x-t)^2 G(t) dt$  then prove that  $\frac{d^3 f}{dx^3} = 2G(x)$  [5]

OR

**Q3)** a) If  $U_n = \int_0^{\pi/4} \tan^n \theta d\theta$ , then prove that  $n[U_{n+1} + U_{n-1}] = 1$  [5]

b) Evaluate :  $\int_0^{\infty} 2^{-9x^2} dx$  [5]

c) Evaluate : [5]

i)  $\frac{d}{dt} [erf(\sqrt{t})]$

ii)  $\frac{d}{dt} [erfc(\sqrt{t})]$

- Q4)** a) Trace the curve  $y^2(2a - x) = x^3, a > 0$  [5]  
 b) Trace the curve  $r = a(1 - \cos\theta)$  [5]  
 c) Find the arc length of cycloid  $x = a(t + \sin t), y = a(1 - \cos t)$  from one cusp to another cusp. [5]

OR

- Q5)** a) Trace the curve  $xy^2 = a^2(a - x), a > 0$  [5]  
 b) Trace the curve  $r = a\cos 3\theta$ . [5]  
 c) Trace the curve [5]

$$x^{2/3} + y^{2/3} = a^{2/3}$$

- Q6)** a) Show that the plane  $2x + y + 2z = 6$  touches the sphere  $x^2 + y^2 + z^2 - 6x - 6y - 6z + 18 = 0$ . Also find the point of contact. [5]  
 b) Find the equation of right circular cone whose vertex is at origin, axis is the line  $\frac{x}{1} = \frac{y}{1} = \frac{z}{1}$  and has a semi-vertical angle of  $30^\circ$ . [5]

- c) Find the equation of right circular cylinder of radius 4 and axis is the line  $\frac{x}{1} = \frac{y}{-1} = \frac{z}{1}$  [5]

OR

- Q7)** a) If the sphere  $x^2 + y^2 + z^2 + 2\lambda x + 3\lambda y + 4\lambda z - 1 - 5\lambda = 0$  cuts the sphere  $x^2 + y^2 + z^2 + 3x - 3y + 3z - 56 = 0$ , orthogonally, then find the value of  $\lambda$ . [5]

- b) Find the equation of right circular cone whose vertex is at origin, generator is the line  $\frac{x}{1} = \frac{y}{2} = \frac{z}{3}$  and axis is the line  $\frac{x}{-1} = \frac{y}{1} = \frac{z}{2}$ . [5]

- c) Find the equation of right circular cylinder of radius 2, whose axis passes through the origin and has direction ratios 1, 1, 1. [5]

- Q8)** a) Change order of integration and evaluate  $\int_0^\infty \int_x^\infty \frac{e^{-y}}{y} dx dy$  [5]

- b) Find the area of cardioid  $r = a(1 + \cos\theta)$  using double integration. [5]

- c) Prove that moment of inertia of the area included between curves  $y^2 = 4ax$  and  $x^2 = 4ay$  about  $x$ -axis is  $\frac{144}{35} Ma^2$ , given that density  $\rho = \frac{3M}{16a^2}$  and  $M$  is the mass. [5]

OR

- Q9) a) Change following double integration to its polar form and evaluate

$$\iint_R \frac{x^2 y^2}{x^2 + y^2} dx dy, \text{ where } R \text{ is annulus between } x^2 + y^2 = 4 \text{ and } x^2 + y^2 = 9. \quad [5]$$

- b) Prove that the volume bounded by cylinders  $y^2 = x$  and  $x^2 = y$  and planes  $z = 0, x + y + z = 2$  is  $\frac{11}{30}$ . [5]

- c) Find the  $x$  - co-ordinate of centre of gravity of a loop of  $r = a \sin 2\theta$  in first quadrant, given that area of loop is  $A = \frac{\pi a^2}{8}$ . [5]